

GClear interface

De Wiki

Aller à : [navigation](#), [rechercher](#)

[GClear interface](#)

As for the [GReadWrite](#) interface, **GENIUS** proposes a [GClear](#) interface in order to **reinitialize** data:

- The data are then reinitialized to the default value given when the widget has been instantiated
- There is the possibility to change this default value by using the [setDefaultValue\(\)](#) method

```
public class GManoeuvre extends GContainer implements GDisplay, GReadWrite,  
GClear {  
    ...  
    public void clear() throws GException { generic(); }  
    ...  
}
```

At last, you will just have to call the [mainClear\(\)](#) method of the high level object you want to clear (it will correctly call the put methods of the lower level objects, as for [display\(\)](#)) ...

```
public void after(GEvent e) throws GException {  
    if ( e.contains(butClear) ) { obj.mainClear(); }  
}
```

[Return to the introduction ↑](#) [Go to the next page →](#)

Récupérée de « http://genius.cnes.fr/index.php?title=GClear_interface&oldid=246 »

Menu de navigation

Outils personnels

- [3.128.199.88](#)
- [Discussion avec cette adresse IP](#)
- [Créer un compte](#)
- [Se connecter](#)

Espaces de noms

- [Page](#)
- [Discussion](#)

Variantes

Affichages

- [Lire](#)
- [Voir le texte source](#)
- [Historique](#)
- [Exporter en PDF](#)

Plus

Rechercher

GENIUS

- [Welcome](#)
- [Quick Start](#)
- [News](#)

Basic principles

- [GFrame and GPanel](#)
- [Main widgets](#)
- [Links with Swing](#)
- [GLayout](#)
- [Conditional Display](#)
- [GListener interface](#)

More deeper in the concept

- [Units management](#)
- [GContainer](#)
- [GReadWrite interface and data files management](#)
- [Modified data](#)
- [Process management](#)

Still more ...

- [Validity controls](#)
- [Menu bar](#)
- [Icons](#)
- [GClear interface](#)

Still more again ...

- [Toolips](#)
- [Shortcuts](#)
- [Copy & paste](#)
- [Plots](#)
- [Results File Management](#)
- [GPlotPanel](#)
- [GGroundPlotPanel](#)
- [Internationalization](#)
- [Log file](#)
- [Update data](#)

Some other widgets

- [GTabbedPane](#)
- [GTable1D](#)
- [GTable2D](#)
- [GComponentList](#)
- [GDialog and GDetachedPanel](#)
- [GContextFileManagement](#)
- [How to build a standard application](#)
- [GPanTest](#)
- [Create your own widget](#)

Evolutions

- [Main differences between V1.11.4 and V1.12.1](#)
- [Main differences between V1.10.1 and V1.11.4](#)
- [Main differences between V1.10 and V1.10.1](#)
- [Main differences between V1.9.1 and V1.10](#)
- [Main differences between V1.9 and V1.9.1](#)
- [Main differences between V1.8 and V1.9](#)
- [Main differences between V1.7 and V1.8](#)
- [Main differences between V1.6.2 and V1.7](#)
- [Main differences between V1.6.1 and V1.6.2](#)
- [Main differences between V1.6 and V1.6.1](#)
- [Main differences between V1.5 and V1.6](#)
- [Main differences between V1.4.1 and V1.5](#)
- [Main differences between V1.3 and V1.4.1](#)

Training

- [Training slides](#)
- [Tutorials package for V1.12.1](#)
- [Tutorials package for V1.11.4](#)
- [Tutorials package for V1.10.1](#)
- [Tutorials package for V1.9.1](#)

- [Training & tutorials package for V1.8](#)
- [Training & tutorials package for V1.7](#)
- [Training & tutorials package for V1.6](#)

Links

- [CNES freeware server](#)

Outils

- [Pages liées](#)
- [Suivi des pages liées](#)
- [Pages spéciales](#)
- [Adresse de cette version](#)
- [Information sur la page](#)
- [Citer cette page](#)

• Dernière modification de cette page le 5 mai 2017 à 11:58.

- [Politique de confidentialité](#)
- [À propos de Wiki](#)
- [Avertissements](#)

